



The reflector rotates through

360°

LUMILUX® VARIO-FM

MORE OPTIONS ALL ROUND

THERE IS LIGHT. AND THERE IS OSRAM.

OSRAM


SMALL WONDER ... BUT

LUMILUX® VARIO-FM is a new extra-slim batten luminaire ready for connection. It is equipped with the innovative mini FM® fluorescent lamp and integrated QUICKTRONIC® FM® electronic control gear.


ALL ROUND LIGHT IN THE TIGHTEST OF SPACES

The LUMILUX® VARIO-FM has extremely small dimensions. It is only about 2.5 cm wide and 4 cm high. The tubular reflector lies close to the fluorescent lamp. It can rotate through 360° and reflect bright glare-free light directly or indirectly precisely where it is needed. LUMILUX® VARIO-FM therefore opens up a wide variety of new applications in the domestic and commercial sectors, in living rooms, shop windows and museums, for pictures, shelving, mirrors or display cabinets.

*Bright idea:
Double direct lighting
shows the object in its
best light.*



*The shade rotates
through 360°*



*Strong bundling
of the light in the
axial direction (half-
value angle = 100°)*

*Perfect balance:
The combination of direct
and indirect lighting puts
the object and its background
in perfect harmony.*



BIG ON POSSIBILITIES

AS SMALL AS A PENCIL: FM® SYSTEM

The heart of the LUMILUX® VARIO-FM is the innovative FM® mini fluorescent lamp from OSRAM. Only the FM® lamp allows such a compact yet bright luminaire to be designed. The extra-slim lamps are available in wattages from 6 W to 13 W and despite their tube diameter of just 7 mm they offer high luminance and brilliance. Together with the QUICKTRONIC® FM® electronic control gear they provide light of exceptional comfort with flicker-free operation and low thermal output.

SIMPLE SPACE-SAVING INSTALLATION


The new LUMILUX® VARIO-FM batten luminaires are available in wattages of 8, 11 and 13 W; they are ready for connection, complete with power cable and in-line switch, and quick and easy to install. And the movable caps on the luminaire heads make it easy to change lamps.



*So impressive:
Double indirect lighting
is ideal for bringing the
“strengths” of the object
to the fore.*

electronic
comfort light

Quick start
Flicker free
Energy saving
Longer lamp life




*High luminous
efficacy thanks to
the high-quality
aluminium reflector
and high-intensity
OSRAM FM® mini
fluorescent lamps*

TECHNICAL DATA

BENEFITS AT A GLANCE

- Extra slim batten luminaire for the tightest of spaces
- Tube reflector can be rotated through 360° for flexible directional lighting
- High luminous efficacy thanks to innovative FM® mini fluorescent lamp
- Extremely comfortable light thanks to integrated QT-FM electronic control gear
- Ready for connection, complete with power cable and in-line switch



Type	LUMILUX® VARIO-FM 8 W	11 W	13 W
Reference	72292	72293	72294
Supply voltage	230-240 V	230-240 V	230-240 V
Mains frequency	50-60 Hz	50-60 Hz	50-60 Hz
Lamp wattage	8 W	11 W	13 W
Length l	335 mm	437 mm	538 mm
Mounting hole spacing a	250 mm	352 mm	453 mm
EAN 4050300	636351	636382	636405
Colour	White	White	White
Standard pack	4 pcs.	4 pcs.	4 pcs.
Equipped with lamp	FM® 8 W/830	FM® 11 W/830	FM® 13 W/830
Type of protection	IP 20	IP 20	IP 20
Protection class	II	II	II
Approval marks			

THERE IS LIGHT. AND THERE IS OSRAM.

OSRAM