OSRAM

ORIGINAL MINIXEN -

Original spare part





The cost-effective original spare parts

ORIGINAL MINIXEN signal lamps for cars can be used for interior lighting as well as reading lights. Discover these original spare parts from OSRAM with reliable OEM quality and a wide product range.

Technical data

Product information

Order reference	2886X	
Application (Category and Product specific)	Auxiliary lamp	


Electrical data

Power input	6 W
Nominal voltage	12.0 V
Nominal wattage	6.00 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometrical data

Luminous flux	85 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Diameter	10.0 mm
Product weight	1.35 g
Length	26.8 mm

Lifespan

Lifespan B3	400 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	W2.1x9.5d
-----------------------------	-----------

Capabilities

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Order reference	2886X

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration 05-03-2024				
Primary Article Identifier	4050300888668 4008321094667 4052899560604			
Candidate List Substance 1	No declarable substances contained			
Declaration No. in SCIP database	In work			

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321094667	OSRA2886X	-	-	-
4008321094674	OSRA2886X	-	-	-
4008321094667	OSRA2886X	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094667	ORIGINAL MINIXEN 2886X	Unpacked 1	- x - x -		
4008321094674	ORIGINAL MINIXEN 2886X	Folding carton box 10	- x - x -		
4008321094681	ORIGINAL MINIXEN 2886X	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	153.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













