

# Lamps with metal bases R5W

Original spare part



## The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Technical data

Product information

|                                             |                |
|---------------------------------------------|----------------|
| Order reference                             | 5007           |
| Application (Category and Product specific) | Auxiliary lamp |


Electrical data

|                       |        |
|-----------------------|--------|
| Power input           | 5 W    |
| Nominal voltage       | 12.0 V |
| Nominal wattage       | 5.00 W |
| Test voltage          | 13.5 V |
| Power input tolerance | ±10 %  |

Photometrical data

|                         |       |
|-------------------------|-------|
| Luminous flux           | 50 lm |
| Luminous flux tolerance | ±20 % |

Dimensions & weight



|                |         |
|----------------|---------|
| Diameter       | 16.0 mm |
| Product weight | 6.00 g  |
| Length         | 37.5 mm |

Lifespan

|             |       |
|-------------|-------|
| Lifespan B3 | 350 h |
| Lifespan Tc | 800 h |

Additional product data

|                             |       |
|-----------------------------|-------|
| Base (standard designation) | BA15s |
|-----------------------------|-------|

Product datasheet

Capabilities

|            |     |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

|                           |             |
|---------------------------|-------------|
| ECE category              | R5W         |
| Approval marks – approval | E1 approval |

Country specific categorizations

|                 |      |
|-----------------|------|
| Order reference | 5007 |
|-----------------|------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                                                                                                               |
|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Date of Declaration                                                   | 06-03-2024                                                                                                                    |
| Primary Article Identifier                                            | 4050300838427   4050300879413   4050300925585   4008321186737   4008321355232   4052899407015   4062172396004   4062172396028 |
| Candidate List Substance 1                                            | No declarable substances contained                                                                                            |
| Declaration No. in SCIP database                                      | In work                                                                                                                       |

Country specific information

| Product code  | METEL code   | SEG number | STK number | UK Org |
|---------------|--------------|------------|------------|--------|
| 4050300838427 | OSRA5007     | 8328126    | -          | -      |
| 4050300525082 | OSRA5007     | 8328126    | -          | -      |
| 4050300838427 | OSRA5007     | 8328126    | -          | -      |
| 4050300925585 | OSRA5007BLI2 | -          | 4730326    | -      |
| 4050300925585 | OSRA5007BLI2 | -          | 4730326    | -      |

Logistical Data

| Product code  | Product description       | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume   | Gross weight |
|---------------|---------------------------|------------------------------|--------------------------------------|----------|--------------|
| 4050300838427 | ORIGINAL - METAL BASE R5W | Unpacked 1                   | - x - x -                            |          |              |
| 4050300525082 | ORIGINAL - METAL BASE R5W | Folding carton box 10        | - x - x -                            |          |              |
| 4008321093882 | ORIGINAL - METAL BASE R5W | Shipping carton box 50       | 205 mm x 144 mm x 64 mm              | 1.89 dm³ | 402.00 g     |
| 4050300925585 | ORIGINAL - METAL BASE R5W | Blister 2                    | - x - x -                            |          |              |

Product datasheet

|               |                              |                           |                            |                      |          |
|---------------|------------------------------|---------------------------|----------------------------|----------------------|----------|
| 4008321140319 | ORIGINAL - METAL<br>BASE R5W | Shipping carton box<br>20 | 189 mm x 80 mm x<br>108 mm | 1.63 dm <sup>3</sup> | 205.00 g |
|---------------|------------------------------|---------------------------|----------------------------|----------------------|----------|

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File                                                                              |                                       |
|-----------------------------------------------------------------------------------|---------------------------------------|
|  | 360 Degree Image<br>ORIGINAL R5W 5007 |

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

