# **OSRAM** SUPER BRIGHT PREMIUM / SUPER BRIGHT

# Extra power for off-road use





Extra power For rescue services, construction and transport work, agriculture and forestry



**Excellent brightness** Even on the most difficult terrain



**Rugged and versatile** Solution for even the most unusual requirements



#### The high-wattage off-road light with extra power

SUPER BRIGHT PREMIUM and SUPER BRIGHT are highwattage off-road lamps with extra power. Those rugged and versatile lamps proved excellent brightness even on the most difficult terrain: rescue services, construction and transport work, agriculture and forestry. These products are not ECEapproved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

## Technical data

#### **Product information**

Order reference	62201SBP	
Product type (off-road vs. on-road)	Off-road ≙ H3	
Application (Category and Product specific)	Halogen headlight lamp	

#### **Electrical data**


Power input	85 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	100.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

#### Photometrical data

Luminous flux	2300 lm
Luminous flux tolerance	±10 %
Color temperature	3200 К

## **Dimensions & weight**



Diameter	12.0 mm	
Product weight	8.00 g	
Length	42.0 mm	

#### Lifespan

Lifespan B3	50 h
Lifespan Tc	200 h

# Additional product data

Base (standard designation)	PK22s
Capabilities	
Technology	HAL
Certificates & standards	
ECE category	-
Country specific categorizations	
Order reference	62201SBP
Environmental information	

# Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) Date of Declaration 28-03-2024 Primary Article Identifier 4050300247939 | 4050300839516 | 4052899126312 | 4062172343749 Candidate List Substance 1 No declarable substances contained Declaration No. in SCIP database In work

#### \_\_\_\_

# Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899126312	SUPER BRIGHT PREMIUM / SUPER BRIGHT ≙ H3	Folding carton box 1	25 mm x 23 mm x 70 mm	0.04 dm³	9.00 g
4052899126329	SUPER BRIGHT PREMIUM / SUPER BRIGHT ≙ H3	Bundle 10	126 mm x 45 mm x 69 mm	0.39 dm <sup>3</sup>	90.00 g
4052899126336	SUPER BRIGHT PREMIUM / SUPER BRIGHT ≙ H3	Shipping carton box 100	245 mm x 145 mm x 140 mm	4.97 dm³	1015.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File

# P

360 Degree Image SUPER BRIGHT PREMIUM H3 62201SBP

#### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### **Application advice**

人家

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













