

LS/PD AP KIT

LS/PD AP KIT | Монтажные комплекты

Характеристики продукта

- Переходник для потолочного монтажа




Области применения

- Офисы
- Учебные классы
- Конференц-залы
- Коридоры
- Лестничные марши

Техническое описание продукта

Technical data

Размеры и вес



Длина	65,0 mm
Ширина	65,0 mm
Высота	34,0 mm
Вес продукта	60,00 g

Цвета и материалы

Цвет продукта	Белый
---------------	-------

Возможности / мощности

Способ монтажа	Монтаж/к потолку
----------------	------------------

Условия поставки

Код заказа	85369095000
------------	-------------

Environmental information





Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	30-10-2023
Primary Article Identifier	4052899173385
Declaration No. in SCIP database	In work

Оборудование/аксессуары

– Suitable for DALIeco LS/PD LI, DALIeco LS/PD LI NP, DALI LS/PD LI and DALI Sensor LS/PD LI G2

Техническое описание продукта

Загрузка данных

Файл	
	User instruction LS PD AP KIT DALIeco LS PD LI mounting instructions
	Brochures DALIeco: Multi-functional light management system (EN)
	Certificates 505710_CE Declaration LSPD AP KIT
	Installation guide 505715_LSPD AP KIT mounting instructions

Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт.)	Размеры (длина x ширина x высота)	Объем	Вес брутто
4052899173385	LS/PD AP KIT	Shipping carton box 10	217 mm x 217 mm x 180 mm	8.48 дм ³	880.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Примечание

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.