

## LEDDriving SL PY21W

Ideal replacement for any vehicle



**Modern and intense light**  
Available in Amber



**High brightness**  
High light intensity thanks to powerful LEDs and solid thermal management



**Matches PY21W lamps**  
Upgrade to LED with simple plug & play replacement



### Suitable LED replacement for PY21W

With these LEDDriving STANDARD lamps we offer an ideal LED replacement for your conventional PY21W lamps. Discover the modern, intense and homogeneous LED light with up to 6,000 Kelvin in three different light colors. Due to long lifetime almost no maintenance is needed. Furthermore, the LEDDriving STANDARD lamps are shock- and vibration-resistant and use up to 80 % less energy in compared to standard PY21W lamps. OSRAM offers a 4-year guarantee for this product. These products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Product family datasheet

Technical data

Product description	Electrical Data				Photometric Data
	Power input	Nominal voltage [calc.]	Nominal wattage [calc.]	Test voltage	Nominal luminous flux [calc.]
LEDriving SL $\triangleq$ PY21W	1.10 W	12 V	1 W	13.5 V	15 lm

Product description	Luminous flux tolerance	Physical Attributes & Dimensions	Lifetime Data		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		Diameter [calc.]	Lifespan B3	Lifespan Tc	Primary Article Identifier
LEDriving SL $\triangleq$ PY21W	$\pm 15\%$	25.0 mm	1500 hr	4000 hr	4052899442061   4052899442085   4052899333277   4052899330993   4052899357990

Product description	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
LEDriving SL $\triangleq$ PY21W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	9422c96b-6ae3-42d3-a888-6e35f3837f9d   aae6b286-d5e8-43bf-b927-b9f1eaba7529   75eb3446-03c9-41d2-bbb3-b39d6e76b9c4   58697587-8d39-4673-bf00-f58deb7a8583   ad456035-a235-4f83-99e4-35f50929fa31

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	Brochures LEDriving Retrofits - Exchange overview (EN)
	Brochures Sales Folder LEDriving replacement lamps (EN)

Соответствие стандартам

These products are not ECE-approved and must not be used on public roads in any exterior application.

Use on public roads will invalidate both the operating license and insurance coverage.

Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Ссылки

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

