

## PURITEC HNS Compact L Lamps




### CBP\_03.00 Areas of applicat, all [calc.]

- Air & Water Purification
- Surface Disinfection


### CBP\_09.00 Product features and benefits, all [calc.]

- Effective and environment-friendly disinfection without chemicals
- High UV-C radiance at 254 nm
- Low mercury content
- Long lifetime due to special coating
- Ozone-free





HNS L 18W 2G11



HNS L

Product family datasheet

Technical data

Product description	Electrical Data		Physical Attributes & Dimensions	Lifetime Data
	Nominal wattage	Nominal voltage	Lamp base	Average Rated Life [GMS]
HNS L 18 W 2G11	18 W	58 V	2G11	9000 hr
HNS L 24 W 2G11	24 W	87 V	2G11	9000 hr
HNS L 36 W 2G11	36 W	106 V	2G11	9000 hr
HNS L 55 W 2G11	55 W	101 V	2G11	9000 hr
HNS L 60 W 2G11	60 W	82 V	2G11	9000 hr
HNS L 95 W 2G11	95 W	115 V	2G11	9000 hr

## Product family datasheet

---

### CBP\_05.00 Safety advice, all [calc.]

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.

---

### Application advice

For more detailed application information and graphics please see product datasheet.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.