

LEDDriving SL PY21W

Ideal replacement for any vehicle



Modern and intense light
Available in Amber



High brightness
High light intensity thanks to powerful LEDs and solid thermal management



Matches PY21W lamps
Upgrade to LED with simple plug & play replacement



Suitable LED replacement for PY21W

With these LEDDriving STANDARD lamps we offer an ideal LED replacement for your conventional PY21W lamps. Discover the modern, intense and homogeneous LED light with up to 6,000 Kelvin in three different light colors. Due to long lifetime almost no maintenance is needed. Furthermore, the LEDDriving STANDARD lamps are shock- and vibration-resistant and use up to 80 % less energy in compared to standard PY21W lamps. OSRAM offers a 5-year guarantee for this product. These products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Product family datasheet

Technical data

Product description	Electrical Data					Photometric Data
	Power input	Nominal voltage [calc.]	Nominal wattage [calc.]	Power input tolerance	Test voltage	Nominal luminous flux [calc.]
LEDDriving SL \triangleq PY21W	1.10 W	12 V	1 W	$\pm 10\%$	13.5 V	15 lm

Product description	Physical Attributes & Dimensions			Lifetime Data
	Lamp base	Length [calc.]	Diameter [calc.]	Lifespan B3
LEDDriving SL \triangleq PY21W	BAU15s	52.5 mm	25.0 mm	1500 hr

Product description	Lifespan Tc	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
		Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1
LEDDriving SL \triangleq PY21W	4000 hr	4052899442061 4052899442085 4052899333277 4052899330993 4052899357990	Lead	7439-92-1

Product description	Safe Use Instruction	Declaration No. in SCIP database
LEDDriving SL \triangleq PY21W	The identification of the Candidate List substance is sufficient to allow safe use of the article.	9422c96b-6ae3-42d3-a888-6e35f3837f9d aae6b286-d5e8-43bf-b927-b9f1eaba7529 75eb3446-03c9-41d2-bbb3-b39d6e76b9c4 58697587-8d39-4673-bf00-f58deb7a8583 ad456035-a235-4f83-99e4-35f50929fa31

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	Brochures LEDiving Retrofits - Exchange overview (EN)
	Brochures Sales Folder LEDiving replacement lamps (EN)

Соответствие стандартам

These products are not ECE-approved and must not be used on public roads in any exterior application.

Use on public roads will invalidate both the operating license and insurance coverage.

Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Ссылки

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

