

## LEDiving PREMIUM SL PS19W

Ideal replacement for any vehicle



**High color temperatures of up to 6,000 K**  
Faster signals provide more reaction time for drivers behind you



**Superior brightness**  
Faster signals provide more reaction time for drivers behind you



**Replaces conventional PS19W lamps**  
Upgrade to LED with simple plug & play replacement



### Suitable LED replacement for PS19W

OSRAM LEDiving PREMIUM SL illuminate vehicle exteriors with high color temperatures of up to 6,000 K. Thanks to their homogeneous light distribution, illumination is non-selective. OSRAM LED retrofits come with easy plug-and-play replacement for conventional PS19W lamps, long life spans, low energy consumption – and 100% more style. OSRAM offers a 6-year guarantee for these LEDiving PREMIUM lamps. For precise guarantee conditions please refer to [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee). Please note: These products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Product family datasheet






Technical data

Product description	Electrical Data				Photometric Data
	Power input	Nominal voltage [calc.]	Nominal wattage [calc.]		Nominal luminous flux [calc.]
LEDiving PREMIUM SL $\triangleq$ PS19W	3.30 W	12 V	3 W		200 lm

Product description	Luminous flux tolerance	Physical Attributes & Dimensions	Lifetime Data		Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		Diameter [calc.]	Lifespan B3	Lifespan Tc	Primary Article Identifier
LEDiving PREMIUM SL $\triangleq$ PS19W	$\pm 15\%$	15.5 mm	2500 hr	5000 hr	4062172035873

Product description	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
LEDiving PREMIUM SL $\triangleq$ PS19W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	907213cb-c97d-4152-a32f-2f5b8fea1099   06dee796-8e06-4c7d-8ee9-56214a57c707

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	Brochures LEDiving Retrofits - Exchange overview (EN)
	Brochures Catalog LEDiving Premium SL und SL (EN)
	Brochures Sales Folder LEDiving replacement lamps (EN)
	ref_pim_amsproduct360degreeimages LEDiving PREMIUM SL 5301CW

Соответствие стандартам

These products are not ECE-approved and must not be used on public roads in any exterior application.

Use on public roads will invalidate both the operating license and insurance coverage.

Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

