

LEDDriving SL PS19W

Ideal replacement for any vehicle



High color temperatures of up to 6,000 K

Faster signals provide more reaction time for drivers behind you



High brightness

Faster signals provide more reaction time for drivers behind you



Replaces conventional PS19W lamps

Upgrade to LED with simple plug & play replacement



Suitable LED replacement for PS19W

These LEDDriving SL retrofit lamps were specially developed for a suitable replacement of conventional PS19W lamp types. Perfect for a multitude of applications, OSRAM LEDDriving SL illuminate vehicle exteriors with high color temperatures of up to 6,000 K. Thanks to their homogeneous light distribution, illumination is non-selective. OSRAM LED retrofits come with easy plug-and-play replacement, long life spans, low energy consumption – and 100% more style. OSRAM provides a 4-year guarantee for this product. For precise guarantee conditions please refer to www.osram.com/am-guarantee. Please note that these products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Product family datasheet

Technical data






Product description	Electrical Data				Photometric Data
	Power input	Nominal voltage [calc.]	Nominal wattage [calc.]		Nominal luminous flux [calc.]
LEDiving SL \triangleq PS19W	1.98 W	12 V	1 W		130 lm

Product description	Luminous flux tolerance	Physical Attributes & Dimensions	Lifetime Data		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		Diameter [calc.]	Lifespan B3	Lifespan Tc	Primary Article Identifier
LEDiving SL \triangleq PS19W	$\pm 15\%$	15.5 mm	1500 hr	4000 hr	4062172035842 4062172151788

Product description	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
LEDiving SL \triangleq PS19W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	a691fda9-42ec-4662-9055-35f36c0e66c6 3f0bc10f-94af-42d6-93b4-a4a5816d7fc7

Product family datasheet

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	Brochures LEDriving Retrofits - Exchange overview (EN)
	Brochures Catalog LEDriving Premium SL und SL (EN)
	Brochures Sales Folder LEDriving replacement lamps (EN)
	ref_pim_amsproduct360degreeimages LEDriving SL PS19W 5201DWP

Соответствие стандартам

These products are not ECE-approved and must not be used on public roads in any exterior application.

Use on public roads will invalidate both the operating license and insurance coverage.

Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

