

PREMIER HYBRID BLADE



Nano-Tech

Nano tech graphite coating

Provides a long lasting, streak-free wipe in all season



Durable

Durable

Anti-rust painted metal internal levers provides weatherability in extreme weather condition



All Season

All Season

Aerodynamic hard shell streamline cover



Premier hybrid blade

- Nano tech graphite coating provides a long lasting, streak-free wipe in all season
- Aerodynamic hard shell streamline cover
- Anti-rust painted metal internal levers provides weatherability in extreme weather condition

Product family datasheet

Technical data

Product description	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction
-	4062172423182 4062172423281 4062172423380 4062172383509 4062172423229 4062172423328 4062172383363 4062172383462 4062172383561 4062172423243 4062172423342 4062172383349 4062172383448 4062172383547 4062172423168 4062172423267 4062172423366 4062172383325 4062172383424 4062172383523 4062172383400 4062172423205 4062172423304 4062172383387	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product family datasheet

Product description	Declaration No. in SCIP database
-	389e9fa6-bfef-4ff2- 8aad-604ab1503f82 9535c245-35ce- 4b2a-9115- feae25bbefd9 17c58d9b-62c2- 4350-9187- 2d69365933cb 69bd6bb7-d24e- 4272-ba9a- 48b7ecf406ec bd5c0968-6759- 4107-aea5- 9e13a335e6a0 9fd3e17f-be48-4155- a8e2-af56d15a1ddc 2b71e261-7354- 4c41-bc10- b30163a284f0 8c30e903-a6aa-4f49- 86ba-861eec602212 ca539523-7155- 4227-a969- d3d0354d7441 e8b3b9c4-ee81- 4889-a19c- 97435d36d92f e9672c75-e029- 47e3-955d- 961298b66d62 28fa66d6-b6ca-4011- b9a5-6cb81c060bbf

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

