

LEDinspect TWIST 450

Inspection lights



Multi-Angle Flex & Twist

High flexibility and diverse adjustment possibilities thanks to multi angle positioning




450 Lumen

2 light functions: Up to 450lm -high Up to 250lm -low



2in1

Inspection light & Torchlight function



2-year OSRAM Guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers



Light is versatile




With the TWIST 450 you have the possibility to easily control the direction of the light beam. A light output of up to 450 lumens and a colour temperature of up to 6000K, make the TWIST 450 ideal for use in workshops and beyond. Lightweight, robust and with a 360° rotation and a 180° grid function, it is an optimal tool for targeted lighting. Mains charger included. In addition, OSRAM provides a 2-year guarantee on this product*

Product family datasheet

Technical data

	Product information	General Product Information		Electrical Data	
Product description	Application (Category and Product specific)	Order reference [calc.]		Nominal wattage [calc.]	Nominal voltage [calc.]
INSPECTION LAMP	LED inspection lights	LEDIL412C		6 W	5 V
	Photometric Data				Physical Attributes & Dimensions
Product description	Color temperature [calc.]	Light color LED	Nominal luminous flux [calc.]	Length [calc.]	
INSPECTION LAMP	6000 K	White	450 lm	28.0 mm	
					LED module information
Product description	Width [calc.]	Height [calc.]	Product weight		Number of LEDs per module
INSPECTION LAMP	45.0 mm	230.0 mm	280.00 g		1
	Colors & materials	Lifetime Data	Additional product data		
Product description	Base color	Guarantee	Scope of battery	Number of included batteries	
INSPECTION LAMP	Black / Orange	2 years	Yes	1	
		Capabilities	Certificates & standards	Logistical data	
Product description	Type of Battery	Technology	IK Class	Watt hour per battery [GMS]	
INSPECTION LAMP	Rechargeable	LED	IK09	8.14	
	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)				
Product description	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database	
INSPECTION LAMP	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	0438e4db-58f7-4a06-b29d-1619cb930f49	

Download Data

File	
	User instruction LEDinspect TWIST 450
	User instruction GPRS_Safety symbols instructions
	Movie application LEDinspect Inspection Lights Trailer

CBP_0L.00 Legal advice, all [calc.]

Application advice:

For more detailed application information and graphics please see product datasheet and the user instruction.* for precise conditions please refer to: www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.