

Product family datasheet

LEDriving SL P21W WHITE

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Cool White



Replaces conventional P21W lamps

Easy upgrade to LED technology with
plug & play solutions



**Reliable OSRAM quality stands for less
lamp replacements**

4-year OSRAM guarantee (refer to
www.osram.com/am-guarantee for
precise conditions)



Suitable LED replacement for P21W

LEDriving SL P21W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional P21W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

Product description	Electrical Data						Photometric Data				
	Power input	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage	Nominal luminous flux					
LEDriving SL Δ P21W	1.80 W	12 V	1 W	$\pm 25\%$	13.5 V	160 lm					
Product description	Physical Attributes & Dimensions						Lifetime Data				
	Lamp base	Length	Diameter				Lifespan B3				
LEDriving SL Δ P21W	BA15s	52.5 mm	25.0 mm				1500 hr				
Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)											
Product description	Lifespan Tc	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1							
LEDriving SL Δ P21W	4000 hr	4062172348652 4062172152181 4062172401210 4062172408318	Lead	7439-92-1							
Product description	Safe Use Instruction	Declaration No. in SCIP database									
LEDriving SL Δ P21W	The identification of the Candidate List substance is sufficient to allow safe use of the article.	4b523b49-273b-43fa-a900-dfef06fdea31 e75f732e-151e-4392-9807-f15711d460b4 cbc40782-6f5e-4a73-ad3f-4f03b28c1891 431a14a2-e6f5-451f-b379-4763b7bc7850									

Product family datasheet

Download Data

File
 User instruction GPRS_Safety symbols instructions
 Brochures LEDriving Retrofits - Exchange overview (EN)

CBP_05.00 Safety advice, all [calc.]

Canbus compatible Coloured lamps for usage behind coloured glass

CBP_0L.00 Legal advice, all [calc.]

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.