

LEDDriving ADAPTER

Accessories for LED retrofit lamps



Making LED upgrades fit right in

The mounting brackets offer an easy installation and compatibility for a variety of cars. Compatibility can be checked on the OSRAM website.

Only the combination of OSRAM NIGHT BREAKER LED lamps in connection with the official OSRAM accessories - LEDDriving ADAPTER and LEDDriving SMART CANBUS (where required) - is permitted.



Product family datasheet

Technical data

Product description	Physical Attributes & Dimensions	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	Diameter	Candidate list substance 1	CAS No. of substance 1	Safe use instruction
LEDriving Adapter 64210DA01	22.4 mm	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LEDriving Adapter 64210DA01-1	22.5 mm	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LEDriving Adapter 64210DA02	22.5 mm	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LEDriving Adapter 64210DA03-1	33.9 mm	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LEDriving Adapter 64210DA04	34.0 mm	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LEDriving Adapter 64210DA05	33.9 mm	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LEDriving Adapter 64210DA06-1	33.9 mm	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LEDriving Adapter 64210DA07	33.9 mm	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product family datasheet

	Physical Attributes & Dimensions	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
Product description	Diameter	Candidate list substance 1	CAS No. of substance 1	Safe use instruction
LEDriving Adapter 64210DA08	33.9 mm	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LEDriving Adapter 64210DA09	40.7 mm	No declarable substances contained		
LEDriving Adapter 64210DA10	25.3 mm	No declarable substances contained		

Product description	Declaration no. in SCIP database	Primary article identifier
LEDriving Adapter 64210DA01	dab4e9ba-93b9-49a4-b98e-2009a53a5a87	
LEDriving Adapter 64210DA01-1	d9220da4-e075-4fd4-98a9-9cebe33869be	
LEDriving Adapter 64210DA02	0556ec4c-8e14-46b7-9c3d-7941fb4338ae	
LEDriving Adapter 64210DA03-1	9cc74b0b-e263-4e5a-b016-ce278cb04200	4062172201872
LEDriving Adapter 64210DA04	0933e069-68fb-4d4d-bbb4-094252b65d02	4062172175029
LEDriving Adapter 64210DA05	7d0b77e5-1c8d-44f6-8c82-f49f0b96d19d	4062172233170
LEDriving Adapter 64210DA06-1	ec844785-45d7-4772-99fd-811db402986b	4062172201902
LEDriving Adapter 64210DA07	f7d37e68-9b9a-4c6c-9003-d811dfabbff9	4062172233835
LEDriving Adapter 64210DA08	e8e08ec4-b41c-4e63-a1f9-5cc1e60cc950	4062172242745
LEDriving Adapter 64210DA09	No declarable substances contained	4062172360203
LEDriving Adapter 64210DA10	No declarable substances contained	4062172360234

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	User instruction LEDriving ADAPTER
	User instruction LEDriving ADAPTER
	User instruction LEDriving ADAPTER
	User instruction LEDriving ADAPTER
	User instruction LEDriving ADAPTER 64210DA09 for H7 LED
	User instruction LEDriving ADAPTER 64210DA10 for H7 LED

Legal advice

Only the combination of OSRAM NIGHT BREAKER LED lamps in connection with the official OSRAM accessories - LEDriving ADAPTER and LEDriving SMART CANBUS (where required) - is permitted.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

