

# ORIGINAL - S8 WEDGE BASE -

Original spare part



## The cost-effective original spare parts

ORIGINAL signal lamps with plastic bases offer reliable OEM quality. The original spare parts are available for different applications.

Technical data


Product information

Order reference	3157A
Application (Category and Product specific)	Auxiliary lamp

Electrical data

Nominal voltage	12.8 V
Nominal wattage	27/7 W
Test voltage	13.5 V

Dimensions & weight



Diameter	26.5 mm
Product weight	7.26 g
Length	53.3 mm

Lifespan

Lifespan B3	550 / 2300 h
Lifespan Tc	1315 / 5500 h <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

Additional product data

Base (standard designation)	W2.5x16q
-----------------------------	----------

Capabilities

Technology	AUX <sup>1)</sup>
------------	-------------------

<sup>1)</sup> Auxiliary signal lamp

Certificates & standards

Product datasheet

ECE category	-
--------------	---

Country specific categorizations

Order reference	3157A
-----------------	-------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	10-05-2024
Primary Article Identifier	4052899304291   4055462300553   4059089081000   4006584394326   4059089508903   4059089510401   4059089510463
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899304291	S8 WEDGE BASE 3157A	Unpacked 1	27 mm x 27 mm x 44 mm	0.03 dm <sup>3</sup>	9.00 g
4052899304307	S8 WEDGE BASE 3157A	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm <sup>3</sup>	110.00 g
4052899304314	S8 WEDGE BASE 3157A	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm <sup>3</sup>	600.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

