

LEDinspect MINI250

Inspectionlights





Multi-Angle Light Output

High flexibility and diverse adjustment possibilities thanks to multi angle positioning



250 Lumen

3 light functions: Up to 250lm -high Up to 130lm -low Up to 70lm -torchlight



2-year-OSRAM guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Light is versatile

This high-quality inspection light from OSRAM is perfect for professional and private use. With three light functions - high with up to 250lm, low with up to 130lm and torchlight function with up to 70lm, there is a light output to suit the task at hand. The 180° flex base gives further flexibility to be able to adjust the lightbeam where needed. The inspection light is rechargeable, and the integrated charge level indicator shows the current status of the battery with up to 3h operating time at high power or up to 6h at low power. A USB Type-C charging cable and the corresponding power adaptor are included in the scope of supply. In accordance with IP65 protection rating, this inspection light has protection against dust and water ingress and is tested for impact resistance in accordance with IK07. This LED light

is easy to carry, has a non-slip and dirt-repellent surface, includes an integrated hook & magnets for hands-free work and easy attachment, making it ideal for craft activities, car repairs and in everyday life. In addition, OSRAM provides a 2-year guarantee on this product*

Technical data

	Product information	General Prod Information	uct	Electrical Data		
Product description	Application (Category	Order referen	ce	Nominal volta	ge	Nominal wattage
	and Product specific)	[calc.]		[calc.]		[calc.]
INSPECTION LAMP	LED inspection lights	LEDIL401		3.7 V		7 W
	Photometric Data				Physica Dimens	al Attributes & sions
Product description	Color temperature [calc.]	Light color LED			Product weight	
NSPECTION LAMP 5700 K		White 250 lm		215.00 g		
Product description	Length [calc.]	Width [calc.]		Height [calc.]		LED module information
. I Suale accessing to	_c.ig.i. [catc.]	main [cate.]		rieigiie [eute.]		LEDs per module
INSPECTION LAMP	200.0 mm	56.0 mm	•	41 mm		2
	Colors & materials	Lifetime Data	Additiona	al product data		
Product description	Base color	Guarantee	Scope of	battery	Type of	Battery
INSPECTION LAMP	Black / Orange	2 years	Yes	Rechargeable		
		Capabilities	Certifica standar			cal data
Product description	Number of included batteries	Technology	IK Class		Watt hour per battery [GMS]	
INSPECTION LAMP	1	LED	IK07		10.00	
	Environmental & Regul			EC) 1907/2006	(REACh)	
Product description	Candidate List Substance 1	CAS No. of su	bstance	Safe Use Instru	uction	Declaration No. in SCIP database
INSPECTION LAMP	Lead	7439-92-1		The identificat the Candidate substance is sufficient to al safe use of the	List low	94ddcbeb-ba73- 4700-a565- 7ccc51aa1508

Download Data

	File
太	User instruction LEDinspect MINI 250
7	User instruction GPRS_Safety symbols instructions
D	Movie application LEDinspect Inspection Lights Trailer

Соответствие стандартам

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.