

# LEDinspect MINI250

## Inspectionlights



### Multi-Angle Light Output

High flexibility and diverse adjustment possibilities thanks to multi angle positioning



### 250 Lumen

3 light functions: Up to 250lm -high Up to 130lm -low Up to 70lm -torchlight



### 2-year-OSRAM guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



### Light is versatile

This high-quality inspection light from OSRAM is perfect for professional and private use. With three light functions - high with up to 250lm, low with up to 130lm and torchlight function with up to 70lm, there is a light output to suit the task at hand. The 180° flex base gives further flexibility to be able to adjust the lightbeam where needed. The inspection light is rechargeable, and the integrated charge level indicator shows the current status of the battery with up to 3h operating time at high power or up to 6h at low power. A USB Type-C charging cable and the corresponding power adaptor are included in the scope of supply. In accordance with IP65 protection rating, this inspection light has protection against dust and water ingress and is tested for impact resistance in accordance with IK07. This LED light

## Product family datasheet

is easy to carry, has a non-slip and dirt-repellent surface, includes an integrated hook & magnets for hands-free work and easy attachment, making it ideal for craft activities, car repairs and in everyday life. In addition, OSRAM provides a 2-year guarantee on this product\*

# Product family datasheet

## Technical data

Product description	Product information	General Product Information	Electrical Data	
	Application (Category and Product specific)	Global order reference	Nominal voltage	Nominal wattage
INSPECTION LAMP	LED inspection lights	LEDIL401	3.7 V	7 W
Product description	Photometric Data			Physical Attributes & Dimensions
	Color temperature	Light color LED	Nominal luminous flux	Product weight
INSPECTION LAMP	5700 K	White	250 lm	215.00 g
Product description				LED module information
	Length	Width	Height	Number of LEDs per module
INSPECTION LAMP	200.0 mm	56.0 mm	41 mm	2
Product description	Colors & materials	Lifetime Data	Additional product data	
	Base color	Guarantee	Scope of battery	Type of Battery
INSPECTION LAMP	Black / Orange	2 years	Yes	Rechargeable
Product description			Capabilities	Certificates & standards
	Number of included batteries		Technology	IK Class
INSPECTION LAMP	1		LED	IK07
Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)				
Product description	Candidate List	CAS No. of substance	Safe Use Instruction	Declaration No. in SCIP database
	Substance 1	1		
INSPECTION LAMP	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	94ddcbeb-ba73-4700-a565-7ccc51aa1508

# Product family datasheet

## Download Data

File
 User instruction LEDinspect MINI 250
 User instruction GPRS_Safety symbols instructions
 Movie application LEDinspect Inspection Lights Trailer

## Соответствие стандартам

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.\*for precise conditions please refer to:

[www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

## Application advice

For more detailed application information and graphics please see product datasheet.

## Disclaimer

— Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.