

Product family datasheet

LEDsBIKE X REAR



Intelligent brake light

For greater visibility in road traffic



Flashing mode

For enhanced visibility and longer battery life

Not available in Germany Be seen – day and night

The intelligent LED rear light with brake light function combines modern design with functionality. Three modes give you full control: automatic mode for intelligent adjustment, continuous light for constant visibility and flashing light for enhanced visibility. No matter which mode you choose, the integrated brake light is always active. An integrated sensor instantly detects braking and alerts traffic behind you with a bright flash.

With up to 17 hours of battery life and only two hours of charging time via USB-C, you're always ready for your next ride. In addition, a charging indicator lets you know when it's time to recharge. The slim, lightweight design fits perfectly on any bike. Thanks to the flexible mount, installation is quick, easy and tool-free. And because adventures don't end when the sun goes down, the rear light is IP54-rated for protection against water and dirt.

Backed by a 2-year OSRAM guarantee¹⁾, it's the ideal choice for cyclists who want more than just light: safety, comfort and a design that impresses.



Product family datasheet

Technical data

Product description	Product information		General Product Information	Electrical Data
	Application (Category and Product specific)	Product legal advice	Global order reference	Nominal voltage
LEDsBIKE X REAR	LED Bike Lights	1) For precise conditions refer to: www.osram.com/am-guarantee . Please note: This product is not approved for use within the scope of the German road traffic act (StVZO)	LEDBRL106	3.7 V
		Photometric Data	Lifetime Data	Additional product data
Product description	Light color LED	Guarantee	Type of Battery	Charging Type
LEDsBIKE X REAR	Red	2 years	Lithium Ion	USB-C
				Certificates & standards
Product description	Charging time	Setting	Usage time	Type of protection
LEDsBIKE X REAR	2 hr	Steady, Automatic, Flash	33 h (Flash), 17 h (Steady)	IP54
Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)				
Product description	Primary Article Identifier	Declaration No. in SCIP database		
LEDsBIKE X REAR	4062172425926	In work		

Product family datasheet

Download Data

File



User instruction
G15142993 UI LEDsBIKE X REAR LEDBRL106



User instruction
GPRS_Safety symbols instructions

Советы по безопасности

For detailed application information, please refer to the product data sheet and the user instruction

Соответствие стандартам

1) For precise conditions refer to: www.osram.com/am-guarantee
Please note: This product is not approved for use within the scope of the German road traffic act (StVZO)

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.