


BATTERYcharge 7PIN | 1PHASE | 32 AMP

Charging Cable for electric and plug-in hybrid vehicles



Type 2 to Type 2

Charge at home and on the move
Type 2 to Type 25PIN |
1PHASE




32 Ampere

Connects to any charging
unit or station with a 32A (1
Phase) type 2 connection



7.2 kWh

Charge your 60kW battery in
ca. 8 hours



5m cable length

Ergonomic handles for optimal
handling and a cable length of
5 meters



Drive with OSRAM into a more emission-free future

Discover the world of electric driving with OSRAM. Charge your fully electric or plug in hybrid type 2 vehicle from any 32A (1 phase) charging unit or station fitted with a type 2 connection point. The charging cable is equipped with ergonomic handles for optimal handling and has a cable length of 5 meters. It is suitable for use at public charging stations and at home. In addition, the charging cables are equipped with dust protection caps and tested for water resistance according to IP65 and shock resistance according to IK10. Even when connected, the electrical contact points are protected against the ingress of dust and splash water in accordance with IP65 and IK10. The scope of delivery also includes a durable, compact storage bag to neatly store the cable after charging. In addition, the product is TÜV and CE certified and comes with a 2-year guarantee*

Product family datasheet

Technical data

	Product information	General Product Information	Electrical Data	
Product description	Number Of Phases	Order reference [calc.]	Nominal wattage [calc.]	Nominal voltage [calc.]
BATTERY charge 7PIN 1PHASE 32 AMP	1	OCC23205	7200 W	240 V

	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
Product description	IK Class	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
BATTERY charge 7PIN 1PHASE 32 AMP	IK10	4052899624122	No declarable substances contained	No declarable substances contained

Product family datasheet

Соответствие стандартам

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.