

Product family datasheet

# LEDriving SL W5W WHITE

Ideal replacement for any vehicle



**Suitable for various vehicle exterior applications**

Available in Cool White



**Replaces conventional W5W lamps**

Easy upgrade to LED technology with  
plug & play solutions



**Reliable OSRAM quality stands for less  
lamp replacements**

4-year OSRAM guarantee (refer to  
[www.osram.com/am-guarantee](http://www.osram.com/am-guarantee) for  
precise conditions)



## Suitable LED replacement for W5W

LEDriving SL W5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional W5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

## Technical data

Product description	Electrical Data						Photometric Data
	Power input	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage	Nominal luminous flux	
LEDriving SL $\triangle$ W5W	1.12 W	12 V	1 W	$\pm 10\%$	13.5 V	70 lm	

Product description	Physical Attributes & Dimensions			Lifetime Data
	Lamp base	Length	Diameter	
LEDriving SL $\triangle$ W5W	W2.1x9.5d	25.4 mm	10.0 mm	1500 hr

Product description	Lifespan Tc	Environmental & Regulatory Information		
		Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1
LEDriving SL $\triangle$ W5W	4000 hr	4062172410847   4062172408295   4062172348638   4062172352055   4052899620810   4062172401258	Lead	7439-92-1

Product description	Safe Use Instruction	Declaration No. in SCIP database
LEDriving SL $\triangle$ W5W	The identification of the Candidate List substance is sufficient to allow safe use of the article.	522d0888-1490-46ff-90d8-db66c1d27eca   6f026af0-500d-4f2d-bd6a-1166bb294d48   64465242-4712-4f51-8663-313005785df0   34b9f3a2-0f08-481c-8c6e-9e87347ba1cf   87230ce2-265b-4740-ae73-4ad692d83c04   d493a7ba-1e50-4adf-97d4-fe52b1e7a9c4

# Product family datasheet

## Download Data

### File



User instruction  
GPRS\_Safety symbols instructions



Brochures  
LEDriving Retrofits - Exchange overview (EN)

### Советы по безопасности

Canbus compatible Coloured lamps for usage behind coloured glass

### Соответствие стандартам

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.