

BATTERYcharge PRO 50A



Developed by professionals – Made for professionals

The OSRAM BATTERYcharge PRO 50A is a professional, intelligent battery charger suitable for a wide range of battery types for 12V and 24V vehicles. Ideal for use when different vehicles and even entire fleets need to be maintained, especially in professional workshops or showrooms. By selecting different battery types and charging levels, the user can set the specific charge required for the different battery types. The BATTERYcharge PRO 50A can deliver variable charging currents up to a maximum of 50A. This is possible for lead-acid batteries as well as lithium batteries (AGM, GEL, STD, EFB, LFP, LiFePO4) and start/stop batteries. Variable charging rates of 5A/10A/30A/50A can also provide flexible slow or fast charging to meet the individual requirements of each user. An integrated test function additionally enables diagnosis of the battery and alternator. OSRAM's professional battery charger with integrated LCD screen runs through a 7-stage charge cycle for lithium batteries and a 9-stage charge cycle for all other batteries to restore and optimize battery performance and improve charge retention. With its light weight, the professional charger from OSRAM is easy to carry and transport around the workshop.

Техническое описание продукта

Technical data


Информация о продукте

Применение (категория и специфика)	Professional Battery Charger
------------------------------------	------------------------------

Электрические параметры

Зарядка (до)	50 A
Поддержка заряда (до)	50 A
Макс. емкость заряжаемой батареи	500 А·ч
Макс. емкость заряжаемой батареи	14 А·ч

Размеры и вес



Длина	2500 mm
Ширина	3500 mm
Высота	900 mm

Дополнительные данные

Рекомендуется использовать с	Motorcycle, Car, Truck, Van, Boat
Ступеней зарядки: свинцовые, AGM, EFB	9
Ступеней зарядки: литиевые аккумуляторы	7
Подключение аккумулятора	Crocodile Clamps

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (RECh)	
Date of Declaration	07-03-2024
Primary Article Identifier	4052899629080
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Техническое описание продукта



Detail



Detail



Detail

Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт.)	Размеры (длина x ширина x высота)	Объем	Вес брутто
4052899629080	Smart Charge Pro 50A	Folding carton box 1	412 mm x 368 mm x 122 mm	18.50 дм³	4633.00 g
4052899629134	Smart Charge Pro 50A	Shipping carton box 2	431 mm x 386 mm x 277 mm	46.08 дм³	9666.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Загрузка данных

Файл	
	User instruction BATTERYcharge PRO

Рекомендации по установке:
Подробное описание, инструкции и чертежи приведены в спецификации продукта.

* Условия предоставления гарантии приведены на сайте www.osram.ru/am-guarantee

Рекомендации по применению
Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

Примечание

Техническое описание продукта

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.

OSRAM