

# LEDinspect FLEXIBLE HEAD TORCH





Flexible Head Band

Soft padding and additional adjustable strap for optimal wearing comfort



Up to 115 Lumen

Three light functions: Up to 115 lm (high, up to 50 lm ( low) and a red flashing function at the rear



Approx. 1.5 hours charging

With a charging time of only approx. 1.5 hours, this OSRAM lamp is quickly ready for use again



2-year OSRAM Guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

### Light is versatile

This high-quality flexible head torch from OSRAM is perfect for professional and private use. With three light functions - high up to 115lm, low up to 50lm and a red flashing function at the rear, this head torch offers different setting options for a variety of tasks. The illumination integrated directly into the individual adjustable headband enables a wide and even distribution of light and can provide better illumination of the working area. The rechargeable battery allows up to 4.5h of operation at high power or up to 5.5h at low power and with a charging time of only approx. 1.5 hours, this OSRAM lamp is also quickly ready for use again. An USB



Micro B charging cable to recharge the lithium battery is included in the scope of supply. In accordance with IP 42 protection rating, this head torch has protection against ingress of dust particles and against splashing water. The LEDinspect Flexible Head Torch has soft pads inside and additionally an adjustable strap for optimal wearing comfort. With a weight of only 62g and the flexible, foldable design, the product is easy to store and transport, making it ideal as a light for craft work, car repairs and everyday use. OSRAM also provides a 2-year guarantee\*

\*For precise conditions please refer to: www.osram.com/am-guarantee

# Technical data

	Product inform	Product information  Application (Category and Product specific)		General Product Information Order reference [calc.]		Electrical Data		
Product description						age	Nominal voltage [calc.]	
INSPECTION LAMP	LED inspection	LED inspection lights		LEDIL414			3.7 V	
	Photometric Da	ıta				Physica Dimens	ıl Attributes & iions	
Product description	Color temperat [calc.]	Color temperature [calc.]		Nominal luminous flux [calc.]		Product weight		
INSPECTION LAMP	6000 K	6000 K		115 lm		62.00 g		
							LED module information	
Product description	Height [calc.]	Height [calc.]		Length [calc.]			Number of LEDs per module	
INSPECTION LAMP	25.0 mm	25.0 mm		245.0 mm			1	
	Colors & mater	Colors & materials		Addition	Additional product data			
Product description	Base color	Base color		Type of	Battery	Number batteries	of included	
INSPECTION LAMP	Black / Orange		2 years	Recharg	eable	1		
	Capabilities	Logisti	cal data	Environmental & Regu Information according Regulation (EC) 1907/		Art. 33 of	EU	
Product description	Technology	Watt hour per batte		Candidate List Substance 1		CAS No 1	. of substance	
INSPECTION LAMP	LED	3.70		Lead		7439-9	2-1	

Product description	Safe Use Instruction	Declaration No. in SCIP database
INSPECTION LAMP	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3ee5100c-84cd- 4784-ba6a- aabf9f12ebcb

#### Download Data

#### File



User instruction
GPRS\_Safety symbols instructions

# Соответствие стандартам

Application advice: For more detailed application information and graphics please see product datasheet and the user instruction.\* for precise conditions please refer to:

www.osram.com/am-guarantee

# **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.