

TYREinflate 6000

TYREinflate 6000 OTIR 6000



Быстрое время накачки шин
Inflate the tyre to the desired pressure in approximately 2 minutes 1)2)



Deflator Valve
For deflating too much air



Digital Auto Stop
Automatic stop function when the preset pressure is reached



Cordless and rechargeable
Can be used with or without direct power supply



Rechargeable Digital Tyre Inflator and Air Pump

The OSRAM TYREinflate 6000 is a cordless and rechargeable tyre inflator with Li-Ion battery, making it an ideal companion for camping and road trips. The OTIR 6000 digital tyre inflator can inflate a tyre in just two minutes¹⁾²⁾ and has a special setting for other inflatable items such as air beds, air mattresses, balls and more. The auto stop function and the deflator valve help to keep the tyres and other inflatables optimally inflated. . The backlit LED display and integrated LED light provide improved readability of the pressure settings and improved illumination of the working area even in reduced visibility conditions or at night. Thanks to the powerbank function, the OSRAM TYREinflate 6000 can also be used as a charger for electronic devices such as your mobile phone. The scope of delivery includes a mains charger and a 12-volt cable for direct power supply, if required. Also included is a 10-piece adapter set, a storage bag and spare valve caps. OSRAM offers a 2-year guarantee¹⁾ on this product.


1) For precise conditions please refer to: www.osram.com/am-guarantee²⁾ Based on inflating a 13" tyre from flat to 2.4 BAR

3) Measurements of the tyre pressure and inflation of the tyres to the optimum tyre pressure must always be conducted on cold tyres

Technical data

Описание продукта	Safe Use Instruction	Declaration No. in SCIP database
TYRE inflate 6000	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3abae9a3-29bd-403e-915c-caab5002583a

Загрузка данных

Файл	
	User instruction TYREinflate OTIR6000 Rechargeable Digital Tyre Inflator and Air Pump

Соответствие стандартам

1) For precise conditions please refer to: www.osram.com/am-guarantee

2) Based on inflating a 13" tyre from flat to 2.41 BAR

3) Measurements of the tyre pressure and inflation of the tyres to the optimum tyre pressure must always be conducted on cold tyres

Application advice:For more detailed application information and graphics please see product datasheet and the user instruction.

Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.