OSRAM

LEDguardian ROAD FLARE





2 in 1 Can be used as a warning light and as a torch



360 degree rotation The 360-degree rotating orange warning light function is visible from a great distance



Magnetic mounting Thanks to the magnet function and the hook, the LED warning light can be attached in various ways.



3x AAA batteries included

Operational readiness. With the three AAA batteries supplied, the warning light is ready for use immediately after purchase



Light is safety-See and be seen with OSRAM

Be prepared with OSRAM warning and safety lights. The LEDguardian ROAD FLARE is a compact LED warning light for various situations on the road and for minor inspection work on your vehicle. The 360 degrees rotating, orange, warning light function of the LEDguardian ROAD FLARE is visible from a great distance and can provide crucial information about a dangerous situation in an emergency. A total of 16 highquality long-life LEDs offer three different operating modes: 360 ° rotating orange warning light function, permanent orange light function and a white torch function. In addition, the LEDquardian ROAD FLARE impresses with its non-slip, dirt-repellent surface, a practical hook for attachment and is so robust and resistant that it can even be run over by a car** without losing performance. The LEDguardian ROAD FLARE has been tested and validated in our certified environmental simulation laboratory for extreme external influences in terms of water, dust and impact from falls. According to the IP54 & IK07 protection classes, the LEDquardian ROAD FLARE is resistant to water, dust and impacts. With the three AAA batteries supplied, the warning light is ready for use immediately after purchase. OSRAM provides a 2-year guarantee on this product* The LEDguardian ROAD FLARE is not approved as a warning light in Germany in the sense of the German Road Traffic Licensing Regulations (StVZO). Please observe any special requirements and laws in countries outside Germany regarding the use and operation of an additional warning light in road traffic.*For precise conditions please refer to: www.osram.com/am-guarantee **Tested at a mid-range car at walking pace

Technical data

| | Product information | | | Electrical data | | Photometrical data | | |
|------------------------|--|----------------------------------|---|--------------------------------|--------------------|---|-----------------------------------|--|
| Product description | Order reference | | on (Category luct specific) | Nominal voltage | Nominal wattage | Color temper- ature | Luminous flux | |
| LEDguardian ROAD FLARE | LEDSL303 | Warning lights | and safety | 4.5 V | 1.85 W | yellow:18 00- 2000/whi te: 6500 K | | |
| | | Dimens | ions & weight | | | | Colors & materials | |
| Product description | Light color LED | Height | Width | Length | | duct ight | Base color | |
| LEDguardian ROAD FLARE | Flash: orange/amb er / Torch: white | 111.0 n | nm 33.0 mi | n 101.0 i | mm 176 | 5.00 g | Black | |
| | Lifespan | Lifespan Additional product data | | | a Ca | | apabilities | |
| Product description | Guarantee | Scope of battery | | Type of Battery | | Technology | | |
| LEDguardian ROAD FLARE | 2 years | Yes | | Alkaline | | LED | | |
| | Certificates & standards | | Environmental information Information according Art. 33 of EU Regulation (B (REACh) | | | | 1907/2006 | |
| Product description | IK Class | IK Class | | Date of Declaration Provide Id | | | eclaration No. in CIP database | |
| LEDguardian ROAD FLARE | | IK07 | | 07-03-2024 40 | | | work | |

Legal advice

*For precise conditions please refer to: www.osram.com/am-guarantee

**Tested at a mid-range car at walking pace

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.