

Данные о продуктовой линейке

LEDambient Trunk Light



Universal LED trunk light with acceleration and brightness sensor

For higher visibility in everyday situations



Multi-function 2 in 1

Applicable as trunk and torch light



Easy car side fixation via magnet and additional mounting plate

Strong magnet for a quick attachment



2 years OSRAM guarantee¹⁾ For precise conditions refer to: www.osram.com/am-guarantee

Powerful performance and exceptionally long service life



Направленное освещение в салоне вашего автомобиля

Introducing the universal LEDambient Trunk Light, the perfect companion for your car's storage space. Packed with advanced features and designed to enhance your convenience, this versatile light will transform the way you use the trunk. Featuring an acceleration and brightness sensor, the trunk light boasts an automatic light function that activates as soon as you open the car trunk. Our light illuminates your trunk instantly, making it effortless to find what you need. With both automatic and manual functionality, you have complete control over the lighting. With a color temperature of up to 6,000K, the trunk light provides a bright and clear illumination, allowing you to see every detail in your trunk. Very practical: With its 2 in 1

multifunction, the light can be used as an inspection lamp and as a torch light. In addition, equipped with a rechargeable 1500mAh battery, the trunk light offers long-lasting performance. The included USB-C cable allows for convenient charging, ensuring you're always prepared. Thanks to the easy car side fixation via the magnet and additional mounting plate, an easy installation is included. Simply attach the light to your car's interior using the strong magnet or the included mounting plate, and you're ready to go. The powerful magnet ensures a secure attachment, so you never have to worry about the light falling or moving while you're on the road. Trust in the quality and durability of the universal LED trunk light - OSRAM provides a 2-year guarantee¹⁾. 1) For precise conditions refer to: www.osram.com/am-guarantee

Данные о продуктовой линейке

Technical data

	Общая информация о продукте	Электрические параметры		Фотометрические данные	
Описание продукта	Номер заказа	Номинальная мощность	Номинальное напряжение	Световой поток	
LEDambient Trunk Light	LEDINT106	30.00 W	3.7 V	40 lm	
		Физические характеристики и размеры			
Описание продукта	Цветовая температура	Вес продукта	Длина	Ширина	
LEDambient Trunk Light	6000 K	100.00 g	108.0 mm	17.5 mm	
		Срок службы	Сертификаты и Стандарты	Нормативная и природоохранная информация Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Описание продукта	Высота	Срок службы Tc	Гарантия	Стандарты	Основной идентификатор изделия
LEDambient Trunk Light	63.0 mm	1000 hr	2 years	CE	4062172240062
Описание продукта	Список компонентов вещество 1	Номер декларации в базе данных SCIP			
LEDambient Trunk Light	Не содержит веществ, подлежащих декларированию	Не содержит веществ, подлежащих декларированию			

Данные о продуктовой линейке

Загрузка данных

Файл	
	User instruction GPRS_Инструкции по символам безопасности
	User instruction LEDambient TRUNK LIGHT
	Movie application LEDambient Trunk Light LEDINT106 Produkt Video DE
	Movie application LEDambient Trunk Light LEDINT106 Product Video EN

Советы по безопасности

Более детальная информация об использовании и изображения находятся в техническом паспорте и в руководстве пользователя

Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.