Product family datasheet

OSRAM

NIGHT BREAKER H4-LED

OSRAM's first NIGHT BREAKER H4 LED for motorcycles





Street-Legal1)

The NIGHT BREAKER LED family - OSRAM's first streetlegal1) LED retrofit lamps.



Up to 230% more brightness2) & 6000K

See and be seen with OSRAM. Cool white color temperature similar to daylight. For more safety on the road, especially when driving at night



Up to 5 times longer lifetime3) Vibration resistant, environmentally friendly, and cost-efficient



4 year OSRAM guarantee

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



With the NIGHT BREAKER H4 LED for Motorcycles, OSRAM's first street legal1) H4-LED replacement lamp for Motorcycles is now on the market

With the street-legal1) NIGHT BREAKER H4-LED you can now upgrade the function of your high- and low beam lights of your motorcycle to state-of-the-art LED technology. These LED replacement lamps are suitable as a replacement for conventional H4 lamps and bases. They offer a modern and bright white light with a color temperature of up to 6000 Kelvin and impress with up to 230% more brightness2), while the glare of other road users falls below the permissible maximum values by up to 50%2). In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 55% less energy and convince thanks to the LED technology and the specially developed vibrationresistant design, with up to 5 times longer life time3). You can now replace your motorcycle lamps with OSRAM's revolutionary NIGHT BREAKER LED retrofit lamps and experience trend-setting brightness with road approval1) Additionally, OSRAM offers a dedicated guarantee on all NIGHT BREAKER LED retrofit lamps2)

Product family datasheet

Technical data

	Product infor	mation						
Product description	Order reference	Application and Product		Product 1	legal advice	Product 2	legal advice	Product legal advice 3
NIGHT BREAKER H4 LED	64193DWN B	B source - only applied to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see		countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-		2) Compared to minimum ECE R112. On top with 50% less glare.		3) compare s d to halogen lamps
	Electrical dat				Photometrical da		etrical data	
Product description	Power input	Te vo	est Itage	Power input toleranc e	Nominal wattage	Nominal voltage	Color temper ature	Luminous - flux
NIGHT BREAKER H4 LED	27/23 W	13	5.2 V	±15 %	27/23 W	12.0 V	6000 K	1650/100 0 lm
		Dimensions & weight			Lifespan		Capabilities	
Product description	Light color LED	Product weight	Leng	th	Diameter	Lifespan B3	Lifespan Tc	Technology
	Cool white	80.00 g	87.4		18.5 mm	1500 h	2500 h	LED

	Certificates & standards	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Product description	Standards	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database	
NIGHT BREAKER H4 LED	ABG	19-03-2024	4062172382632	In work	

Product family datasheet

Download Data

	File
7	Brochures LEDriving Retrofits - Exchange overview (EN)
	360 Degree Image NIGHT BREAKER LED H4-LED 64193DWNB-2HFB

Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

Legal advice

1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led

2) Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%

3) In comparison to traditional Halogen lamps

4) For precise conditions please refer to: www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

